



Installation instructions for part 95-1006


KIA Sorento EX 2003-2006 / Sorento LX 2004-2006 (Sport Package Only) 95-1006

KIT FEATURES

- ISO DDIN radio provision

KIT COMPONENTS

A) ISO DDIN brackets B) ISO DDIN trim plate



WIRING & ANTENNA CONNECTIONS (sold separately)

Wiring Harness: • 70-2003

Antenna Adapter: • 40-GM10

TOOLS REQUIRED

- Panel removal tool • Phillips screwdriver




Table of Contents

Dash Disassembly	2
Kit Assembly	
– ISO DDIN radio provision	3


CAUTION! Metra recommends disconnecting the negative battery terminal before beginning any installation, unless the vehicle manufacturer recommends against so. Please check with your local Dealership for more information. All accessories, switches, climate controls panels, and especially air bag indicator lights must be connected before reconnecting the battery or cycling the ignition. Also, do not remove the factory radio with the key in the on position, or the vehicle running. It would be best to remove the key from the ignition and then wait a few seconds before removing the factory radio.

Dash Disassembly


1. Open ashtray then unsnap and remove side trim panels. (Tip: start at the bottom of the panels) (Figure A)
2. Remove (8) Phillips head screws securing the radio trim panel. Unplug and remove panel. (Figure B)
3. Remove (4) Phillips head screws securing the radio. Unplug and remove the radio. (Figure C)



(Figure A)



(Figure B)




(Figure C)


Kit Assembly

ISO DDIN radio provision

1. Slide the appropriate bracket into the ISO DDIN trim plate aligning the holes in the trim plate to the clips on the bracket. (Figure A)
2. Slide the radio into the completed assembly and secure the radio to the assembly using the screws supplied with the radio. (Figure B)
3. Reassemble the dash in reverse order of disassembly.



(Figure A)



(Figure B)



Installation instructions for part 95-1006



IMPORTANT

If you are having difficulties with the installation of this product, please call our Tech Support line at **1-800-253-TECH**. Before doing so, look over the instructions a second time, and make sure the installation was performed exactly as the instructions are stated. Please have the vehicle apart and ready to perform troubleshooting steps before calling.



KNOWLEDGE IS POWER

Enhance your installation and fabrication skills by enrolling in the most recognized and respected mobile electronics school in our industry. Log onto www.installerinstitute.com or call 800-354-6782 for more information and take steps toward a better tomorrow.



**Metra recommends MECP
certified technicians**